ELSEVIER

Journal of Affective Disorders 67 (2001) 287–289

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Contents (Vol. 67)

Issue 1–3 – December 2001

(Special Issue: Millenial Issue: The New Bipolar Era)

Editorial

The new bipolar era and beyond
H.S. Akiskal, C.P. Katona 1

Millennial articles

Bipolarity from ancient to modern times: conception, birth and rebirth
J. Angst, A. Marneros (Switzerland, Germany) 3

Lithium treatment at 52
M. Schou (Denmark) 21

Collaborative studies and other research

The Stanley Foundation Bipolar Treatment Outcome Network. I. Longitudinal methodology
G.S. Leverich, W.A. Nolen, A.J. Rush, S.L. McElroy, P.E. Keck Jr., K.D. Denicoff, T. Suppes, L.L. Altshuler, R. Kupka, K.G. Kramlinger, R.M. Post (USA, The Netherlands) 33

The Stanley Foundation Bipolar Treatment Outcome Network. II. Demographics and illness characteristics of the first 261 patients
T. Suppes, G.S. Leverich, P.E. Keck, W.A. Nolen, K.D. Denicoff, L.L. Altshuler, S.L. McElroy, A.J. Rush, R. Kupka, M.A. Frye, M. Bickel, R.M. Post (USA, Netherlands) 45

Principles of effectiveness trials and their implementation in VA Cooperative Study #430: 'Reducing the Efficacy-Effectiveness Gap in Bipolar Disorder'
M.S. Bauer, W.O. Williford, E.E. Dawson, H.S. Akiskal, L. Altshuler, C. Fye, A. Gelenberg, H. Glick, B. Kinosian, M. Sajatovic (USA) 61

The significance of psychotic features in manic episodes: a report from the NIMH collaborative study
W. Coryell, A.C. Leon, C. Turvey, H.S. Akiskal, T. Mueller, J. Endicott (USA) 79

Toward a refined phenomenology of mania: combining clinician-assessment and self-report in the French EPIMAN study
H.S. Akiskal, E.G. Hantouche, M.L. Bourgeois, J.M. Azorin, D. Sechter, J.F. Allilaire, L. Chatenêt-Duchêne, S. Lancrenon (USA, France) 89

The feasibility of self-assessment of dysphoric mania in the French national EPIMAN study
E.G. Hantouche, J.P. Allilaire, M.L. Bourgeois, J.M. Azorin, D. Sechter, L. Chatenêt-Duchêne, S. Lancrenon, H.S. Akiskal (France, USA) 97

Clinical characterization of depressive mixed state in bipolar-I patients: Pisa-San Diego collaboration
G. Perugi, H.S. Akiskal, C. Micheli, C. Toni, D. Madaro (Italy, USA) 105

PII: S0165-0327(02)00032-0

Delineating bipolar II mixed states in the Ravenna–San Diego collaborative study: the relative prevalence and diagnostic significance of hypomanic features during major depressive episodes
F. Benazzi, H.S. Akiskal (Italy, USA) 115
Structure of mania: depressive, irritable, and psychotic clusters with different retrospectively-assessed course patterns of illness in randomized clinical trial participants
A.C. Swann, P.L. Janicak, J.R. Calabrese, C.L. Bowden, S.C. Dilsaver, D.D. Morris, F. Petty, J.M. Davis (USA) 123
Olanzapine versus haloperidol in schizoaffective disorder, bipolar type
M. Tohen, F. Zhang, P.E. Keck Jr., P.D. Feldman, R.C. Risser, P.V. Tran, A. Breier (USA) 133
Are antidepressants less effective in the acute treatment of bipolar I compared to unipolar depression?
H.-J. Möller, R. Bottlender, H. Grunze, A. Strauss, J. Wittmann (Germany) 141
Impact of bipolar affective disorder on family and partners
G. Dore, S.E. Romans (Australia, New Zealand) 147
Measures of attention and hyperactivity symptoms in a high-risk sample of children of bipolar parents
A. Duffy, P. Grof, S. Kutcher, C. Robertson, M. Alda (Canada) 159

Brief reports

Anxiety disorders comorbidity in mood disorder subgroups: data from a mood disorders clinic
B.I. Yerevanian, R.J. Koek, S. Ramdev (USA) 167
Anxiety disorders comorbidity in bipolar I, bipolar II and unipolar major depression: results from a population-based study in Hungary
Z. Rihmer, E. Szádóczky, J. Füredi, K. Kiss, Z. Papp (Hungary) 175
A prospective study of inter-episode consistency of manic and mixed subtypes of bipolar disorder
F. Cassidy, E. Ahearn, B.J. Carroll (USA) 181
Unsuspected depressive mania in pre-pubertal hispanic children referred for the treatment of 'depression' with history of social 'deviance'
S.C. Dilsaver (USA) 187

Preliminary communications

Valproate in very young children: an open case series with a brief follow-up
M. Mota-Castillo, A. Torruella, B. Engels, J. Perez, C. Dedrick, M. Gluckman (USA) 193
The temporal relationship between anxiety disorders and (hypo)mania: a retrospective examination of 63 panic, social phobic and obsessive–compulsive patients with comorbid bipolar disorder
G. Perugi, H.S. Akiskal, C. Toni, E. Simonini, A. Gemignani (Italy, USA) 199
Divalproex therapy in medication-naive and mood-stabilizer-naive bipolar II depression
M.E. Winsberg, S.G. DeGolia, C.M. Strong, T.A. Ketter (USA) 207
Role of risperidone in bipolar II: an open 6-month study
E. Vieta, C. Gastó, F. Colom, M. Reinares, A. Martínez-Arán, A. Benabarre, H.S. Akiskal (Spain, USA) 213
Do patients with borderline personality disorder belong to the bipolar spectrum?
J. Deltito, L. Martin, J. Riefkohl, B. Austria, A. Kissilenko, P. Corless C. Morse (USA) 221

Review articles

Origin and development of concepts of bipolar mixed states
A. Marneros (Germany) 229
Current research on rapid cycling bipolar disorder and its treatment
J.R. Calabrese, M.D. Shelton, D.J. Rapport, M. Kujawa, S.E. Kimmel, S. Caban (USA) 241
Clinical correlates of therapeutic response in bipolar disorder
C.L. Bowden (USA) 257

Letter to the Editor

Genetic linkage and bipolar disorder: a cautionary note
M. Baron (USA) 267

Book review 275

Instructions to Authors 277

Author Index 279
Subject Index 283
Contents (Vol. 67) 287

The feasibility of self-assessment of dysphoric mania in the French national EPIMAN study
E.G. Hantouche, J.P. Allilaire, M.L. Bourgeois, J.M. Azorin, D. Sechter, L. Chatenêt-Duchêne, S. Lancrenon, H.S. Akiskal (France, USA) 97
Clinical characterization of depressive mixed state in bipolar-I patients: Pisa-San Diego collaboration
G. Perugi, H.S. Akiskal, C. Micheli, C. Toni, D. Madaro (Italy, USA) 105
Delineating bipolar II mixed states in the Ravenna–San Diego collaborative study: the relative prevalence and diagnostic significance of hypomanic features during major depressive episodes
F. Benazzi, H.S. Akiskal (Italy, USA) 115
Structure of mania: depressive, irritable, and psychotic clusters with different retrospectively-assessed course patterns of illness in randomized clinical trial participants
A.C. Swann, P.L. Janicak, J.R. Calabrese, C.L. Bowden, S.C. Dilsaver, D.D. Morris, F. Petty, J.M. Davis (USA) 123
Olanzapine versus haloperidol in schizoaffective disorder, bipolar type
M. Tohen, F. Zhang, P.E. Keck Jr., P.D. Feldman, R.C. Risser, P.V. Tran, A. Breier (USA) 133
Are antidepressants less effective in the acute treatment of bipolar I compared to unipolar depression?
H.-J. Möller, R. Bottlender, H. Grunze, A. Strauss, J. Wittmann (Germany) 141
Impact of bipolar affective disorder on family and partners
G. Dore, S.E. Romans (Australia, New Zealand) 147
Measures of attention and hyperactivity symptoms in a high-risk sample of children of bipolar parents
A. Duffy, P. Grof, S. Kutcher, C. Robertson, M. Alda (Canada) 159

Brief reports

Anxiety disorders comorbidity in mood disorder subgroups: data from a mood disorders clinic
B.I. Yerevanian, R.J. Koek, S. Ramdev (USA) 167
Anxiety disorders comorbidity in bipolar I, bipolar II and unipolar major depression: results from a population-based study in Hungary
Z. Rihmer, E. Szádóczky, J. Füredi, K. Kiss, Z. Papp (Hungary) 175
A prospective study of inter-episode consistency of manic and mixed subtypes of bipolar disorder
F. Cassidy, E. Ahearn, B.J. Carroll (USA) 181
Unsuspected depressive mania in pre-pubertal hispanic children referred for the treatment of 'depression' with history of social 'deviance'
S.C. Dilsaver (USA) 187

Preliminary communications

Valproate in very young children: an open case series with a brief follow-up
M. Mota-Castillo, A. Torruella, B. Engels, J. Perez, C. Dedrick, M. Gluckman (USA) 193
The temporal relationship between anxiety disorders and (hypo)mania: a retrospective examination of 63 panic, social phobic and obsessive–compulsive patients with comorbid bipolar disorder
G. Perugi, H.S. Akiskal, C. Toni, E. Simonini, A. Gemignani (Italy, USA) 199
Divalproex therapy in medication-naive and mood-stabilizer-naive bipolar II depression
M.E. Winsberg, S.G. DeGolia, C.M. Strong, T.A. Ketter (USA) 207
Role of risperidone in bipolar II: an open 6-month study
E. Vieta, C. Gastó, F. Colom, M. Reinares, A. Martínez-Arán, A. Benabarre, H.S. Akiskal (Spain, USA) 213
Do patients with borderline personality disorder belong to the bipolar spectrum?
J. Deltito, L. Martin, J. Riefkohl, B. Austria, A. Kissilenko, P. Corless C. Morse (USA) 221

Review articles

Origin and development of concepts of bipolar mixed states
A. Marneros (Germany) 229

Current research on rapid cycling bipolar disorder and its treatment
J.R. Calabrese, M.D. Shelton, D.J. Rapport, M. Kujawa, S.E. Kimmel, S. Caban (USA) 241
Clinical correlates of therapeutic response in bipolar disorder
C.L. Bowden (USA) 257

Letter to the Editor
Genetic linkage and bipolar disorder: a cautionary note
M. Baron (USA) 267

Book review 275

Instructions to Authors 277

Author Index 279
Subject Index 283
Contents (Vol. 67) 287